L Number	Hits	Search Text	DB	Time stamp
1	47314	motorola.as.	USPAT;	2004/10/28 08:03
			US-PGPUB;	2001/10/20 00:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	579443	battery	USPAT;	2004/10/28 08:03
			US-PGPUB;	200 1/ 10/20 00:03
İ			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
3	71432	cellular adj (telephone or phone)	USPAT;	2004/10/28 08:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	313	motorola.as. and (battery with (cellular adj (telephone or	USPAT;	2004/10/28 08:05
		phone)))	US-PGPUB;	1,, 00.00
]			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
5	327852	latch	USPAT;	2004/10/28 08:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	4415	battery with (cellular adj (telephone or phone))	USPAT;	2004/10/28 08:06
			US-PGPUB;	
			EPO; JPO;	
[			DERWENT;	
	٠, ١		IBM_TDB	
8	7	((battery with (cellular adj (telephone or phone))) with latch)	USPAT;	2004/10/28 08:07
		and motorola.as.	US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
7	18	(hattan, with (callular a di (talanhan ann han a))) with to t	IBM_TDB	
1	10	(battery with (cellular adj (telephone or phone))) with latch	USPAT;	2004/10/28 08:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	1	1999-517303.NRAN.	IBM_TDB	2004/10/20 00:10
10	836574	latch or clip or fastener	DERWENT USPAT;	2004/10/28 08:10 2004/10/28 08:12
	22357 1	Section of the control	US-PGPUB;	2007/10/20 08:12
			EPO; JPO;	:
			DERWENT;	
			IBM_TDB	
11	427133	cam or cammed or camming	USPAT;	2004/10/28 08:12
			US-PGPUB;	200 1/10/20 00.12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	9	(battery with (cellular adj (telephone or phone))) and ((latch or	USPAT;	2004/10/28 10:38
	İ	clip or fastener) same (cam or cammed or camming))	US-PGPUB;	
			EPO; JPO;	
	[		DERWENT;	
	[		IBM_TDB	
13	6	5935729.URPN.	USPAT	2004/10/28 08:14
14	1	"5607792".PN.	USPAT	2004/10/28 08:16
15	1	sprung adj logic	USPAT;	2004/10/28 10:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

	T			
16	1	sprung adj pogo	USPAT;	2004/10/28 10:40
		·	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
4.5			IBM_TDB	
17	2	(sprung adj contacts) with logic	USPAT;	2004/10/28 10:41
			US-PGPUB;	
	Ì		EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
18	3	logic with sprung with contact	USPAT;	2004/10/28 11:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
19	0	340.ccls.	USPAT;	2004/10/28 11:32
			US-PGPUB;	255 1, 15, 25 11.52
}			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
20	117587	340/\$.ccis.	USPAT;	2004/10/28 11:39
	127.007		US-PGPUB;	2007/10/20 11:39
			EPO; JPO;	
			DERWENT;	
21	11706	poriphoral adj companent adj intercorport	IBM_TDB	2004/40/20 44 45
21	11/06	peripheral adj component adj interconnect	USPAT;	2004/10/28 14:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
20			IBM_TDB	
22	14	(peripheral adj component adj interconnect) with battery	USPAT;	2004/10/28 11:40
		* .	US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
23	188478	printed adj circuit adj board	USPAT;	2004/10/28 11:42
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
24	3714	(printed adj circuit adj board) with battery	USPAT;	2004/10/28 11:42
		, , ,	US-PGPUB;	
	Ì		EPO; JPO;	
1			DERWENT;	
1	1		IBM_TDB	
25	7127895	mount or mounting or mounted or case or pack or package or	USPAT;	2004/10/28 11:43
1		casing or housing	US-PGPUB;	250 1/10/20 11. 15
		, <u></u>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	[
26	53667	(mount or mounting or mounted or case or pack or package or	USPAT;	2004/10/29 11:44
-	33007	casing or housing) near battery	US-PGPUB;	2004/10/28 11:44
		County of Housing) fical battery		
			EPO; JPO;	
			DERWENT;	
27	2150	(/mount or mounting or mounted or once or real or and	IBM_TDB	2004/40/20 *** **
27	3158	((mount or mounting or mounted or case or pack or package or	USPAT;	2004/10/28 11:44
		casing or housing) near battery) and (printed adj circuit adj	US-PGPUB;	
		board)	EPO; JPO;	.
			DERWENT;	
			IBM_TDB	

28	565	((mount or mounting or mounted or case or pack or package or	USPAT;	2004/10/28 14:14
		casing or housing) near battery) with (printed adj circuit adj	US-PGPUB;	200 1/10/20 14:14
		board)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
29	1	703721.URPN.	USPAT	2004/10/28 11:51
30	11	("1849595"   "2741751"   "2818463"   "2942228"   "3445803"	USPAT	2004/10/28 14:13
		"3479634"   "3742430"   "3871738"   "4247603"   "4332430"		
		"4414298").PN.		
31	11	("1849595"   "2741751"   "2818463"   "2942228"   "3445803"	USPAT	2004/10/28 14:13
		"3479634"   "3742430"   "3871738"   "4247603"   "4332430"		
		"4414298").PN.		
32	4	4973257.URPN.	USPAT	2004/10/28 14:13
33	1	("4247603").PN.	USPAT	2004/10/28 14:14
34	29473	PCI	USPAT;	2004/10/28 14:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
35	476	hadden and Det	IBM_TDB	
33	476	battery same PcI	USPAT;	2004/10/28 14:17
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
36	129	(battery same PcI) same (mount or mounting or mounted or	IBM_TDB USPAT;	2004/10/20 14:20
50	123	case or pack or package or casing or housing)	US-PGPUB;	2004/10/28 14:29
		case or package or easing or housing)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
37	14452	battery same (latch or clip or fastener)	USPAT;	2004/10/28 14:30
			US-PGPUB;	2001/10/20 14.30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
38	12290	(latch or clip or fastener) with (t or tee)	USPAT;	2004/10/28 14:31
		, , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
39	57	battery same ((latch or clip or fastener) with (t or tee))	USPAT;	2004/10/28 14:31
		,	US-PGPUB;	, ,
			EPO; JPO;	
	]		DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
-	273	429/9.ccls.	USPAT;	2004/10/26 08:21
	303	420/122	US-PGPUB	
-	283	429/123.cds.	USPAT;	2004/09/13 11:06
_	5	(("6795301") or ("5065270") or ("6545065") - ("6045445")	US-PGPUB	2004/40/25 ==
	3	(("6795301") or ("5065279") or ("6545865") or ("6813117") or ("6744595") or ("6663440")).PN.	USPAT	2004/10/26 08:27
_	265	429/98.cds.	LICDAT.	2004/10/26 00:34
	203		USPAT; US-PGPUB	2004/10/26 09:31
_ ,	26	429/98.ccls. and (printed adj circuit adj board)	US-PGPUB USPAT;	2004/10/26 16:02
		,	US-PGPUB	200 1/10/20 10:02
l -	8308	(battery or (electrochemical adj cell) or (energy adj storage adj	USPAT;	2004/10/26 16:03
ļ ,		device)) adj (mount\$3 or support)	US-PGPUB;	, = 2, 20 20.00
ļ ,			EPO; JPO;	
1	1		DERWENT;	
1		///	IBM_TDB	
- 	471	((battery or (electrochemical adj cell) or (energy adj storage	USPAT;	2004/10/26 09:52
1		adj device)) adj (mount\$3 or support)) and (printed adj circuit	US-PGPUB;	
		adj board)	EPO; JPO;	
			DERWENT;	
' _ i	2168848	clip or lock or clamp or screw	IBM_TDB USPAT;	2004/10/26 00 52
		Supplies to the description of the control of the c	USPAT; US-PGPUB;	2004/10/26 09:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	255	(((battery or (electrochemical adj cell) or (energy adj storage	USPAT;	2004/10/26 09:53
'		adj device)) adj (mount\$3 or support)) and (printed adj circuit	US-PGPUB;	
		adj board)) and (clip or lock or clamp or screw)	EPO; JPO;	
			DERWENT;	
	F1100	managed and detailed	IBM_TDB	
-	5112277	remove\$4 or detach\$4 or separa\$3 or unfasten\$4	USPAT;	2004/10/26 09:55
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM_TDB	
_	224	(((((battery or (electrochemical adj cell) or (energy adj storage	USPAT;	2004/10/26 09:55
	'	adj device)) adj (mount\$3 or support)) and (printed adj circuit	US-PGPUB;	200 1/10/20 09:55
		adj board)) and (clip or lock or clamp or screw)) and	EPO; JPO;	
ļ		(remove\$4 or detach\$4 or separa\$3 or unfasten\$4)	DERWENT;	
			IBM_TDB	
-	18	((remove\$4 or detach\$4 or separa\$3 or unfasten\$4) with	USPAT;	2004/10/26 15:19
		((battery or (electrochemical adj cell) or (energy adj storage	US-PGPUB;	
		adj device)) adj (mount\$3 or support))) and (clip or lock or	EPO; JPO;	
		clamp or screw) and (printed adj circuit adj board)	DERWENT;	
_	125	429/96 cc/s, and (clip or lock or clamp or)	IBM_TDB	2004/40/20 42 **
	123	429/96.ccls. and (clip or lock or clamp or screw)	USPAT;	2004/10/26 10:11
		i.	US-PGPUB; EPO; JPO;	
			DERWENT;	1
		!	IBM_TDB	
-	19	(429/96.ccls. and (clip or lock or clamp or screw)) and (printed	USPAT;	2004/10/26 10:20
		adj circuit adj board)	US-PGPUB;	, ==, == 10.20
			EPO; JPO;	
	i		DERWENT;	ļ
	05155	IDM on an (interest to the last)	IBM_TDB	
-	95100	IBM.as. or (international adj business adj machines).as.	USPAT;	2004/10/26 10:21
		!	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
I	L		ן סטו_ויופג	1

	T			
-	31	(IBM.as. or (international adj business adj machines).as.) and ((battery or (electrochemical adj cell) or (energy adj storage	USPAT; US-PGPUB;	2004/10/26 10:27
		adj device)) adj (mount\$3 or support))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	138	(PRAm or CRAM or OUM) and CMOS	USPAT;	2004/10/26 11:43
			US-PGPUB; EPO; JPO;	Ì
			DERWENT;	j
	_		IBM_TDB	:
-	5	(("5583744") or ("6078496") or ("6535378")).PN.	USPAT;	2004/10/26 11:43
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	377	430/06 pela	IBM_TDB	
-	3//	429/96.ccls.	USPAT; US-PGPUB;	2004/10/26 13:15
			EPO; JPO;	
			DERWENT;	
_	44504	(battery or (electrochemical adj cell) or (energy adj storage adj	IBM_TDB	2004/40/27 00 65
	11307	device)) adj (pack or package or case or compartment or	USPAT; US-PGPUB;	2004/10/27 08:05
		mount\$3 or support)	EPO; JPO;	
			DERWENT;	
_	9	(((peripheral adj component adj interface) or PCI) adj adapter)	IBM_TDB USPAT;	2004/10/26 16:10
		and ((battery or (electrochemical adj cell) or (energy adj	US-PGPUB;	200 1/10/20 10.10
		storage adj device)) adj (pack or package or case or	EPO; JPO;	
		compartment or mount\$3 or support))	DERWENT;	
-	74	battery adj pack adj CMOS	IBM_TDB USPAT;	2004/10/26 16:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
-	17	("4885683"   "5121500"   "5357519"   "5473499"   "5491790"	USPAT	2004/10/26 16:55
		"5546563"   "5675772"   "5692189"   "5781774"   "5802328"   "5834856"   "5881282"   "5953502"   "6237103"   "6327663"		
		"6330622"   "6442746").PN.		
-	594490	(battery or (electrochemical adj cell) or (energy adj storage adj	USPAT;	2004/10/27 08:05
		device)) adj (pack or package or case or compartment or	US-PGPUB;	
		mount\$3 or support) or (battery or (electrochemical adj cell) or (energy adj storage adj device))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	2028	((peripheral adj component adj interface) or PCI) adj (adapter	USPAT;	2004/10/27 08:07
		or card)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	225	//hattan/ on /alastro-share!! - !!!!\ - /	IBM_TDB	
-	325	((battery or (electrochemical adj cell) or (energy adj storage adj device)) adj (pack or package or case or compartment or	USPAT; US-PGPUB;	2004/10/27 08:07
		mount\$3 or support) or (battery or (electrochemical adj cell) or	EPO; JPO;	
		(energy adj storage adj device))) and (((peripheral adj	DERWENT;	
_	22567530	component adj interface) or PCI) adj (adapter or card)) @ad<20020806	IBM_TDB USPAT;	2004/10/27 00:07
			US-PGPUB;	2004/10/27 08:07
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

- 272 (((battery or (electrochemical adj cell) or (energy adj storage USPAT; 2004/10/27 10:2	 
adj device)) adj (pack or package or case or compartment or mount\$3 or support) or (battery or (electrochemical adj cell) or (energy adj storage adj device))) and (((peripheral adj cell)) and (component adj interface) or PCI) adj (adapter or card))) and IBM_TDB	-
component adj interface) or PCI) adj (adapter or card))) and   BM_TDB	
"4489770" "4505063").pn.	
- 2 6403254.URPN. ("5065745"   "5607791"   "6051334"   "6120932").PN. USPAT USPAT USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;	- - -
IBM_TDB	 

-	103261	printed adj circuit adj board	USPAT:	2004/10/27 14:12
		printed any under displacement	US-PGPUB	2004/10/27 14.12
-	46	429/97.ccls. and (printed adj circuit adj board)	USPAT;	2004/10/27 14:20
			US-PGPUB	
-	1566	(cam or cammed) adj (clip or latch or fastener)	USPAT;	2004/10/27 15:56
			US-PGPUB	
-	3	((cam or cammed) adj (clip or latch or fastener)) and	USPAT;	2004/10/27 16:26
		(429/96,97,98,99,100).ccls.	US-PGPUB	
-	240	camming adj (clip or latch or fastener)	USPAT;	2004/10/27 15:56
			US-PGPUB	
-	0	(camming adj (clip or latch or fastener)) and	USPAT;	2004/10/27 15:56
		(429/96,97,98,99,100).ccls.	US-PGPUB	
-	1	"5607792".PN.	USPAT	2004/10/27 16:26